


Mail Stop: AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

In re application of: Michael BANTLIN, et al.
Serial No. **O 1 P E**
Filed: 10/766,275
For: January 28, 2004
METHOD FOR SYNCHRONIZING THE MAIN PILE AND AUXILIARY PILE

Sir:



Transmitted herewith is a Response to Final Office Action (6 pages) in the above-identified application.

Also transmitted herewith are:
 Petition for extension under 37 C.F.R. 1.136
 Other:


Check(s) in the amount of **\$0.00** is/are attached to cover:
 Filing fee for additional claims under 37 C.F.R. 1.16
 Petition fee for extension under 37 C.F.R. 1.136
 Other:

The Assistant Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 50-0552.

Any filing fee under 37 C.F.R. 1.16 for the presentation of additional claims which are not paid by check submitted herewith.

Any patent application processing fees under 37 C.F.R. 1.17.

Any petition fees for extension under 37 C.F.R. 1.136 which are not paid by check submitted herewith, and it is hereby requested that this be a petition for an automatic extension of time under 37 CFR 1.136.


 William C. Gehris, Reg. No. 38,156
 DAVIDSON, DAVIDSON & KAPPEL, LLC
 485 Seventh Avenue, 14th Floor
 New York, New York 10018
 Tel: (212) 736-1940
 Fax: (212) 736-2427

I hereby certify that the documents referred to as attached therein and/or fee are being deposited with the United States Postal Service as "first class mail" with sufficient postage in an envelope addressed to "Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" on November 22, 2005.

DAVIDSON, DAVIDSON & KAPPEL, LLC

BY: 
 Jennifer L. O'Connell



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 10/766,275 Confirmation No.: 3458
Applicant: Michael BANTLIN, et al. Attorney Docket No.: 600.1297
Filed: January 28, 2004 Customer No.: 23280
Examiner: Thomas A. MORRISON Art Unit: 3653
For: **METHOD FOR SYNCHRONIZING THE MAIN PILE AND
AUXILIARY PILE**

Mail Stop: AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

November 22, 2005

RESPONSE TO FINAL OFFICE ACTION

Sir:

In response to the final office action dated August 25, 2005, please reconsider the above-identified patent application based on the following amendments and remarks: